November 2017

TARCE

DISTRIBUTING

FALL HARVEST OF VALUES

43 More Reasons Why Target is Your Best Choice!

Mention This Flyer When Ordering to Get The Sale Price

tgsales@targetdist.com 800-873-5528 www.targetd.com

2 New 4th Quarter Connect™ Bundles





8010014 PAT (Point After Touchdown) Package

- Connect 324 Server
- Conference Center
- Reach Link Mobile VM 5 Pack of Reach licenses Allworx Partner Price: \$Call

Call for Target's Lower Price

8010034 Fourth and Goal Package

- Connect 536 Server Conference Center ACD Mobile VM Reach Link
- 10 Pack of Reach licenses

Allworx Partner Price: \$Call

Call for Target's Lower Price

MX-SE SIP Only Bundle



90-06795 MX-SE-BP-4+1-36G (SIP ONLY) Bundle Includes:

• 5-User



- 5-MXIE
- 2-Call Record
- 1-Mobile Access (Android or iOS)
- 4-ZIP 36G Phones (PoE only / AC Adapter not included)

Call for Target's Low Price

SL2100 Chassis/CPU Combo Sale!





BE117448 SL2100 Chassis/CPU Combo

Consists of:

- (1) BE116491 SL2100 Chassis
- (1) BE116496 SL2100 CPU Card
- Includes 4-port / 2-hour InMail
- Includes (8) VoIP Channels

Configure your ideal system by adding IP or digital phones!









eMG80 9224DF 8+

- Full Duplex 8-Phone Bundle
- BKSU+ Equipped for 4 CO, 2 SIP Trunks, 8 Digital and 4 Analog Stations
- 4-channel VM (optional expansion to 8) with 1-hour storage
- Unified Messaging
 2 VolP Channels
 2 UCS Standard Desktop
- 2 UCS Mobile 8 LDP-9224DF Full Duplex 24-Button Phones Desi Labels

Call for Target's Low Price

Call for Target's Low Price











VS-5000-830B

- Basic KSU 4CO x 8D x 4S 4-port 16-hour Voice Mail 2 VoIP Channels
- 2 UCS Mobile Clients 2 UCS Desktop Standard Clients w/ Voice
- 8 9030-00 30-Button Full-Duplex Phones Reg. \$Call

Call for Target's Low Price

Touch-Screen Conference Phone

W

realini

CP-960 Conference Phone

- Optima HD audio, full duplex technology
- Yealink Noise Proof Technology
- 20-foot and 360-degree microphone pickup range
- · Built-in 3-microphone array · Android 5.1 OS
- 5-inch multi-touch screen with 720x1280 resolution
- 5-way conference call Built-in Wi-Fi/Bluetooth
- · Connects to PC via USB Micro-B port

CPE90 Optional wired microphones for CP-960 (pair)
CPW90 Optional wireless microphones for CP-960 (pair)

Easy Conferencing and Clear Communication

SIP Cordless Phone System



Yealink

W60-PACK

- 2.4" 240 x 320 color screen with intuitive user interface
 Up to 8 concurrent calls
- Up to 8 DECT cordless handsets
- Up to 8 VoIP accounts
- Supports Opus audio codec
- Up to 30-hour talk time
- Up to 400-hour standby time
- Quick charging: 10-min charge time for 2-hour talk time
- Noise Reduction System
- · Headset connection via 3.5 mm jack

Up to 8 SIP DECT Cordless Handsets & 8 Concurrent Calls

IP DECT Cordless



DP720

DECT CAT-IQ Cordless Handset

- 5 DP720 handsets are supported by each DP750
- Range of 300 meters outdoors
 & 50 meters indoors
- & 50 meters indoors
 Supports up to 10 SIP accounts per handset



- Up to 10 SIP accounts per system; up to 10 lines per handset; up to 4 concurrent calls per DECT system
- Use with Grandstream's UCM series of IP PBXs for Zero Config provisioning

Call for Target's Low Price

Long Range PoE for SMB





PL-08 (PL-LPC) 8-Port PoLRE Switch

- Can drive up to 8 Adapters (2 included with PL-08)
- Stackable with two uplink ports 8 x RJ11 Jacks
- 2 RJ45 ports: 10/100 Base-T autosensing, independent speed selection, Ethernet IEEE 802.3, CAT5 copper cable
- Max distance: 1200' CAT3 UTP cable, 24AWG
- Speed: 10Mb/s (full duplex) PoE power: 10 Watts

PL-PA011-6 6-pack of Phylink Adapters for use with PL-08

Easy Migration to VolP

Long Range SIP Cordless



DuraFon-SIP System

- Up to 12 Floors In-Building Penetration, 250,000 sq. ft. of Facility Coverage, 3,000 Acres of Property, Open Land Coverage
- Base Supports up to Four (4) Concurrent Calls (4-SIP OR 3-SIP+1-PSTN)
- Works with any IP-PBX that Supports the Standard SIP Protocol
- Independent 2-Way Intercom
- "Push-to-Talk" (PTT) Broadcast Feature



SIP Doorphone Intercom Sale!



ALGO

8028 SIP Doorphone/Intercom

- SIP Endpoint with auto-provisioning capability
- · Web interface for remote config
- · Initiates or accepts calls
- Single pair 24 AWG wiring up to 1,000 Ft (300 m) from controller
- Flush or surface mount weather-resistant enclosure
- Full duplex capable Stainless steel or brass
- Door sensor or call button input at controller or door station
- · Backlit call button Reg. \$Call

Call for Target's Low Price

IP Paging Server Sale!





011146 IP Paging Server

- Bell Scheduler with up to 25 "bells"
- 25 user uploadable stored messages
- Page to Polycom phones
- · Voice prompting and password controlled zones
- SIP RFC 3261 compatible NTP-based internal clock
- Multicast output Two SIP endpoints (one for Night Ringer)
- DTMF control of zone selection Delayed page support
- · Line-In connection for background music multicasting
- · Line-out connection to support analog amplifiers · PoE
- User uploadable audio files
 19-inch Rack mount option Reg. \$Call

Call for Target's Low Price

16-Port PoE+ Gig Smart Switch





GS418TPP

16-Port PoE+ Gigabit Managed Smart Switch

- 8 PoE+ Ports and 8 PoE Ports 2 SFP Ports
- Total PoE budget of 240W
- · Auto-Voice VLAN for fast and reliable deployment of VoIP
- Auto-Video VLAN, speeds up deployment of IP-based surveillance systems
 Static routing
- IGMP and MLD snooping, provides advanced multicast filtering

L2 and L2+/Layer 3 Lite Features

Quad FXS Gateway





SN4114/JS/EUI Quad FXS Gateway

- · Advanced Local Call Switching · Complete SIP & T.38 support
- Easy Management & Provisioning—Web-based management, SNMP, command line interface. Automated mass provisioning for efficient large-scale deployments.
- Outstanding Interoperability—Proven integration for voice and T.38 fax with 3CX®, Asterisk™, PingTel™ and other leading IP PBX systems and soft switch vendors.

American Made Quality & Reliability

Bianural Headset Sale





BIZ 2300 USB UC DUO #2399-829-109

Binaural USB Headset

- UC-CompatibleWideband/HD Voice
- Frequency Response
- Noise Cancelling Microphone
- · Flexible Microphone Boom Arm
- Foam-Cushioned Earpieces Kevlar-Reinforced Cord
- Built-In Control Unit SafeTone Hearing Protection Reg. \$Call

Call for Target's Low Price

Analog to Digital Adapter Sale!





Konference-10910 Direct Phone Interface

- Digital to Analog Converter
- Works with virtually any conference unit or direct connect speakerphone
- Connects to any standard teleconferencing
- unit's RJ-11 jack Requires telephone with modular handset
- · Powered by AC adapter (included)
- Konexx products cannot be returned to Target. Factory service only. Reg. \$Call

Call for Target's Low Price

24-Port PoE+ Gig Smart Switch

NETGEAR



GS724TPV2

24-Port PoE+ Gigabit Managed Smart Switch

- 24 x 1000BASE-T PoE+ Copper ports
- 2 x 1000BASE-X Dedicated Fiber SFP ports
- 190W PoE budget L2/L3/L4 access control lists (ACLs)
- Advanced VLAN support for better network segmentation
 Advanced per port PoE controls for remote power
- management of PoE
 Advanced QoS for traffic prioritization

Port Mirroring for Network Monitoring

USB Multi-Messager Sale!





V-9989

Multi-Messager USB

- Store up to
 99 messages
- Triggered and/or timed playback
- Plays MP3 files from USB Flash Drive
- Up to 4GB Flash Drives supported
- Auxiliary 12VDC output for wiring sensors
 Playback quality up to 128Kbps LED status indicator
- Active output indication trigger Built-in monitor speaker Limited to stock on hand. Reg. \$Call

Call for Target's Low Price



.Audio 995 Wireless Gaming Headset

- Dual 40mm speakers deliver full-range stereo sound
- Wireless 40-foot range
- · On-ear controls for volume adjustment and controlling tracks on iTunes
- Noise-canceling microphone
- Easy plug-and-play setup Reg. \$Call

Call for Target's Low Price







5BE244UTP-BLUE

- Cable is swept to 350Mhz
- ETL listed, ETL Verified & ROHS compliant
- Performance Warranty (Lifetime)
- 100% pure copper
- 1000 to 0 Ft. Markings
- · Made in USA

Available in blue only

Reg \$Call



Call for Target's Low Price

New Expandable UPS Systems







ED1000RTXL2U 1000VA/900W ED1500RTXL2U 1500VA/1350W ED2000RTXL2U 2000VA/1800W ED3000RTXL2U 3000VA/2700W

- True on-line, double conversion technology
- · Compact case design, 2U for all models
- Flexible installation format: Rack/Tower. Rackmount ears. come attached to UPS . Easy-to-read LCD display
- · Expandable for additional run-time

2U Compact Case Design

CAT6 Plenum Sale!





ICCABP6VGY or ICCABP6VYL

- Cat6 500Mhz 1000-foot box
- · Easy to dispense cable with REELEX design box
- Bare Solid Copper Wire
- Sequential footage markings
- · Plenum (CMP) rated
- · Ideal for data, digital video, broadband, and baseband analog video
- In gray or yellow color only Reg. \$Call





sale

Voyager Legend UC B235 87670-01

plantronics.

- · Multi-device connectivity answer PC and mobile/tablet phone calls from one headset
- Enhanced voice alerts PC Wideband audio
- Triple-mic with enhanced DSP
- WindSmart® provides
- 3 layers of wind protection
- Integrated A2DP for streaming media
- Automatically answers calls simply by placing on your ear



Call for Target's Low Price





100010B CAT6 EZ RJ45 Modular Plugs

- For use in CAT6 compliant data networks
- · Category 6 performance per EIA/TIA B.2. FCC compliant, UL rated and RoHS compliant
- EZ to verify wire sequence. Simple one piece design... no bars or liners • Works with solid or stranded wire
- Faster terminations with reduced scrap Package of 100 Reg. \$Call

Call for Target's Low Price

UPS and Surge Sale!





by Schneider Electric

- SC420 **Battery Backup** • 420VA/260W • 4 outlets
- 1 RJ45 6-foot cord
- Interface Port DB-9 & RS-232
- · Hot swappable batteries Reg. \$Call

Call for Target's Low Price

PDIY8 **AC Protection**

- 8 Outlets Ruggedized
- 15-Foot Power Cord Hanging Hook
- · 820 joules · LED Status Indicator
- EMI/RFI Line Noise Attenuation Reg. \$Call

Call for Target's Low

Paging Amp Sale!



CC4021 Compact

sale

Paging Amp

- 40 Watts
- For 70V/25V and 4/8-Ohm Systems
- 1 balanced MIC/Line input 1 unbalanced AUX input
- Bass & Treble Controls
 External 24V DC Power Supply Input
- · Volume controls for each input · Audio-activated muting
- REC Output Peak indicator Signal indicator Reg. \$Call

Call for Target's Low Price



204446-01 Blackwire 325.1-M **Binaural Professional Corded Headset**

- UC Standard version
- Dual Connectivity Manage your PC calls using USB or plug directly into your smartphone or tablet via the 3.5mm connection
- · Leatherette ear cushions fold flat
- Carrying case included Reg. \$Call









540-15

Glo Stix 15-Foot Kit

- · Kit includes (3) 5-foot Glo Stix, a bullet nose and a hook nose tip, 3/16" diameter Luminescent fiberglass stix for better visibility when fishing above dark ceilings, up walls or below raised floors
- Sturdy, steel-threaded connectors are interchangeable with Greenlee Fish Stix Reg. \$Call

Call for Target's Low Price







SR25UB SmartRack 25U Server Rack

- Ships fully assembled
- · Standard 24" width · Standard 42" depth
- · 4 interior vertical posts
- · 3000 lb stationary / 2250 lb rolling load capacity
- · Locking, removable, reversible front and rear doors
- · Locking, removable side panels
- Meets all enclosure requirements towards PCI DSS (Payment Card Industry Data Security Standard) compliance. Reg. \$Call

Call for Target's Low Price

Telephone Signalling On Sale!





UTA-1

Universal Telephone Alert

- Choice of four selectable sound patterns: Horn, Bell, Vibrating Chime, Single Chime
- Choice of four operating voltages: 24VDC, 24VAC, 48VDC, and 90Vrms/20-30Hz
- High output 109 dB piezo speaker
- Tamper resistant volume control Was \$Call





Full HD 1080p Videoconferencing

VC120-12X Pod

 12X optical PTZ camera, 360°/10ft wired microphone array



- Dual display and content sharing
- Local USB HD recording and playback
- Includes VC120 Codec, VCC12 PTZ camera, VCM30 Microphone Array, VCR10 remote control, power adapter and cables. • Inlcudes 1-year AMS

From Box to Work in 5 Minutes!

RealPresence Group 500



7200-64250-001 RealPresence Group 500 - 720p

The RealPresence® Group 500 is ideal for conference rooms

and other collaborative environments, from small meeting rooms to larger rooms with dual screens.

- 1080p60 video (with optional license)
- 1080p60 content (with optional license), making everything from presentation slides to full-motion video look as natural as being there. Maintenance Contract Required.

Optimized for Small & Large Groups

Scalable SIP Conferencing

vtech

VCS752 ErisStation® SIP Conference Phone with 2 Wireless Mics

 Wireless expansion – Pair up to three VCS850 SIP DECT Expansion Wireless Speakerphones (below) to increase the volume and microphone pickup for 27 or more active particpants.

VCS850 ErisStation® SIP Conference Phone Expansion Unit

Add up to three expansion wireless speakerphones to the VCS752 ErisStation SIP Conference Phone. (VCS 850 only works with and requires the VCS752 to operate

Easy, Affordable System Growth

Network PTZ Camera Sale! *HIKVISIO*

sale

DS-2DE4220W-AE 2MP Network **PTZ Dome**

- 2 MP Outdoor 4" 20x Network PTZ Dome Camera
- 1/2.8" Progressive Scan CMOS
- Up to 1920 × 1080 @ 30 fps
- 20x Optical Zoom DWDR.
- IP66 and IK10 Protection 24 VAC / PoE Reg. \$Call

Call for Target's Low Price

DS-7604NI-E1/4P-2TB

4-Channel NVR with 2TB HDD

- 4-Channel NVR with PoE
- · Individually Configurable Channels
- · 3rd-Party Network Cameras Supported
- Up to 5MP Resolution Recording
- HDMI and VGA Output At Up to 1080p
- SATA Interface Supporting Up to 4TB
- Pre-Installed 2TB HDD

Call for Target's Low Price

2MP Bullet or Dome Camera Sale!

speco technologies



O2VLB6 1080p PoE Bullet Camera

• 2.8-12mm auto iris varifocal lens

sale

- · Supports up to Full HD 1080p @ 30fps
- True Day/Night operation (IR cut filter)
- · Built-in IR LEDs IR Range: Up to 80'
- Supports H.264 and MJPEG codecs
- IP66 compliant
 5-Year Warranty
- Live U.S. Tech Support 800-645-5516 Reg. \$Call

O2VLD6 1080p PoE

Dome Camera · 2.8-12mm auto iris varifocal lens

- · Supports up to Full HD 1080p @ 30fps
- True Day/Night operation (IR cut filter)
- · Built-in IR LEDs IR Range: Up to 65'
- Supports H.264 and MJPEG codecs
- IP66 compliant
 5-Year Warranty
- Live U.S. Tech Support 800-645-5516 Reg. Call

Sale! Call for Target's Low Price

Audio Intercom Kit Sale!





C-123L/A Chime-Com Audio Intercom

- · Includes 1 Master & 1 Door Station
- Open Voice Door Answering
- · Door Release Button
- · Push-to-Talk / Release-to-Listen
- · Hands-Free Reply from Door Station
- Add Master Stations for Expandability
- Compatible with LE or LS Series Items Reg. \$85.20



Call for Target's Low Price

82" Smart 4K LED HDTV





UN82MU8000F

- UHD 3840 x 2160 LED Panel
- HDR10 Support
- Built-In Wi-Fi
- Full Web Browser
- 4 x HDMI / 3 x USB
- 4K Color Drive Extreme
- · All Connectivity via One Connect Box

Treat Yourself to a New HDTV – We've Got Them From All the Majors!

Varifocal Camera



GXV3674-FHD-VF-V2 Day/Night Indoor/Outdoor Variable Focal IP Camera

- Variable focal lens can be adjusted from 2.8mm to 12mm
- 1080p resolution IP66 certified weatherproof casing
- Advanced multi-streaming rate real-time H.264, Motion JPEG • PoE • IR-CUT for day and night mode
- Integrate with third party speakers, microphones, intercom systems, sirens, alarms, alarm devices such as door sensors and third party motion sensors, and more

Call for Target's Low Price



SUA771PU

For Screens Up To 95-Inches

- One-Touch™ tilt mechanism allows adjustment of +15/-5° without the use of tools
- Landscape or portrait mounting options
- Internal cable management
- Added ±5° of roll for post-installation display leveling without the use of tools
- · Design helps avoid blocking connections on back of display
- Up to ±72.5° of side-to-side swivel

We Have Mounts to Fit ANY Size HDTV!

2MP Dome Camera



UVC-G3-DOME

2MP Dome Camera

- 1920 x 1080 Resolution at 30 fps
- IR LEDs for Night Vision
- IR Cut for True Day/Night
- 2.8mm Fixed Lens with f/2.0
- 100.4° / 87.8° Horizontal FOV
- Built-In Microphone for Audio
- H.264 Video Compression
- · Ethernet Port with PoE Technology
- · Wall or Ceiling Mounted

Call for Target's Low Price







Bluetooth

Wireless Stereo Earbuds

HBS-S80-ACUSBKI Bluetooth Earbuds

- Water & Sweat Resistant (IPx5 Rated)
- Full Around-The-Ear Contoured Design
- Bluetooth Version 4.1
- Talk Time: Up to 6.5 hours
- Music Play Time: Up to 6 hours
- Standby Time: Up to 16.6 days
- Qualcomm® aptX™ Sound Profile

Call for Target's Low Price

